

# Amuri 4ply & DK/8ply Fingerless Gloves

| MATERIALS              |  |           |
|------------------------|--|-----------|
| To Fit                 | Female Adult Hand  |           |
| Finished Length approx | 23<br>9  | cm<br>ins |
| Amuri DK/8ply (50gr)   | 2  | Hanks     |
| Amuri 4ply (50gr)      | 1  | Hank      |
| Needle sizes           | 4ply: 3.25mm (US 3) straight needles DK/8ply: 4mm (US 6) straight needles Optional: 2 buttons (Incomparable Buttons: L195) |           |

The quantities of yarn stated are based on average requirements and are therefore approximate. The brand Naturally owns the copyright for this pattern. No part of this pattern may be reproduced, transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise without permission in writing.

© Naturally

### **ABBREVIATIONS**

**Beg** - beginning

**cm** - centimetres

cont - continue

ins - inches

**k** - knit

meas - measures

**NR** - next row

**p** - purl

**rep** - repeat

**RS(F)** - right side (facing)

**st(s)** - stitch(es)

**Stst** - stocking stitch (= k on

RS rows, p on WS rows)

WS - wrong side

# **IMPORTANT**

Use ONLY the Naturally yarn specified. (We cannot accept responsibility for an imperfect item if any other brand is used.)

## **TENSION**

**4ply:** 28 sts and 36 rows over Stst - 10cm (4ins) on 3.25mm (US 3) needles.

**DK/8ply:** 22 sts and 30 rows over Stst - 10cm (4ins) on 4mm (US 6) needles

CHECK YOUR TENSION CAREFULLY

# DK/8ply FINGERLESS GLOVES

**Note:** Finished Gloves will be approx ¼ shorter once cable has been created

#### **FIRST HAND**

With 4mm (US 6) needles, cast on 66 sts.

**Rows 1, 3, 5 & 7 (RS)** - P16, k40, p10.

Rows 2, 4, 6 & 8 (WS) - P all sts. Row 9 (RS) - P16, cast off 20 sts, with 1 st already on needle, k further 19 sts, p10.

**Row 10 (WS)** - P30, cast on 20 sts (turn if you have to for cast on), p16.

Rep these 10 rows 5 times more. Rep rows 1-8 once.

[Now is the point to measure if the 20 sts Stocking Stitch section fits around your **upper hand** (excluding thumb); if it is not enough, then work rows 9 & 10 and then rows 1-8 once more]. Cast off loosely all sts.

#### COMPLETE

Join the lower 16 purl sts for cuff, secure end, break off yarn.

Skip the 20 sts cast-off section; join the upper Stst section until 19 sts rem in total, secure end, break off yarn.

Skip 6 or 7 sts for thumb (check if it fits), join rem sts, secure end, break of yarn.

Twist first 20 sts section into loop, then slip  $2^{nd}$  section through loop,

then 3<sup>rd</sup> section and so on to end; tack upper centre of last loop to bottom of first; OR optionally, sew large button to bottom of first section and slip loop over for closure.

**OPTIONAL:** If you desire the "cable" to face the other direction, work as above but twist the last 20 sts section into loop, then slip 2nd last through loop, then 3rd last and so on.

# 4ply FINGERLESS GLOVES

**Note:** Finished Gloves will be approx ¼ shorter once cable has been created

#### **FIRST HAND**

With 3.25mm (US 3) needles, cast on 84 sts.

**Rows 1, 3, 5, 7 & 9 (RS)** - P20, k51, p13.

Rows 2, 4, 6, 8 & 10 (WS) - P all sts.

**Row 11 (RS)** - P20, cast off 25 sts, with 1 st already on needle, k further 25 sts, p13.

Row 12 (WS) - P39, cast on 25 sts (turn if you have to for cast on), p20.

Rep these 12 rows 5 times more. Rep rows 1-10 once.

[Now is the point to measure if the 20 sts Stocking Stitch section fits around your **upper hand** (excluding thumb); if it is not enough, then work rows 11 & 12 and then rows 1-10 once more]. Cast off loosely all sts.

COMPLETE

Join the lower 20 purl sts for cuff, secure end, break off yarn.
Skip the 25 sts cast-off section; join the upper Stst section until 24 sts rem in total, secure end, break off yarn.

Skip 7 or 8 sts for thumb (check if it fits), join rem sts, secure

end, break of yarn.

Twist first 25 sts section into loop, then slip 2<sup>nd</sup> section through loop, then 3<sup>rd</sup> section and so on to end; tack upper centre of last loop to bottom of first; OR optionally, sew large button to bottom of first section and slip loop over for closure.

**OPTIONAL:** If you desire the "cable" to face the other direction, work as above but twist the last

25 sts section into loop, then slip 2nd last through loop, then 3<sup>rd</sup> last and so on.

