

HAND KNIT YARNS by
Naturally[®]
IT'S PURE
NEW ZEALAND

K778

To fit- 8-14years

LOYAL[™]
DK/8Ply



Cable Panel Sweater

MATERIALS AND MEASUREMENTS

To fit approx	8	10	12	14	years
To fit Chest	71 28	76 30	81 32	86 34	cm ins
Finished Chest approx	76 30	81 32	86 34	92 36	cm ins
Length to Shoulder	45 17 ¾	50 19 ¾	55 21 ½	61 24	cm ins
Sleeve Length to Underarm	34 13 ½	37 14 ½	40 15 ¾	42 16 ½	cm ins
Loyal DK/8ply (50gr)	7	8	9	11	Balls
Needle sizes	3.75mm & 4mm (US 5 & 6) straight needles Cable needle Stitch holder & markers				

The quantities of yarn stated are based on average requirements and are therefore approximate. The brand Naturally owns the copyright for this leaflet. No part of this leaflet may be reproduced, transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise without permission in writing.

© Naturally

ABBREVIATIONS

Beg - beginning
cm - centimetres
cont - continue
dec - decrease
inc - increase
ins - inches
k - knit
meas - measures
NR - next row
p - purl
patt - pattern
rem - remaining
rep - repeat
RS(F) - right side facing
skp - slip 1 stitch, knit 1 stitch, pass the slipped stitch over
st(s) - stitch(es)
Stst - Stocking stitch (= knit on RS row and purl on WS row)
tog - together
WS(F) - wrong side (facing)
C8F - slip next 4 sts to cable needle and hold at front of work, k4, k4 from cable needle
C8B - slip next 4 sts to cable needle and hold at back of work, k4, k4 from cable needle

IMPORTANT

Use ONLY the Naturally yarn specified. (We cannot accept responsibility for an imperfect garment if any other brand is used.) Follow our instructions exactly. We advise every knitter to check their tension carefully before commencing the garment.

CHECK YOUR TENSION CAREFULLY

TENSION

22 sts and 30 rows over Stst - 10cm/4ins on 4mm (US 6) needles.

CHECK YOUR TENSION CAREFULLY

BACK

**With 3.75mm (US 5) needles, cast on 88 (94, 100, 106) sts.

Row 1 (RS) - P0 (0, 1, 2), k1 (2, 2, 2), [p2, k2] 3 times; place marker, p2, k4, p3, k2, p3, k4, p2, place marker; k2, [p2, k2] 5 (6, 7, 8) times; place marker, p2, k4, p3, k2, p3, k4, p2, place marker; [k2, p2] 3 times, k1 (2, 2, 2), p0 (0, 1, 2).

Row 2 (WS) - K0 (0, 1, 2), p1 (2, 2, 2), [k2, p2] 3 times; k2, p4, k3, p2, k3, p4, k2; p2, [k2, p2] 5 (6, 7, 8) times; k2, p4, k3, p2, k3, p4, k2; [p2, k2] 3 times, p1 (2, 2, 2), k0 (0, 1, 2).

Rep these 2 rows 6 (6, 7, 7) times more.

Change to 4mm (US 6) needles.

NR (RS) - K13 (14, 15, 16); p2, k4, p3, k2, p3, k4, p2; k22 (26, 30, 34); p2, k4, p3, k2, p3, k4, p2; k13 (14, 15, 16).

NR (WS) - P13 (14, 15, 16); k2, p4, k3, p2, k3, p4, k2; p22 (26, 30, 34); k2, p4, k3, p2, k3, p4, k2; p13 (14, 15, 16).

Rep last 2 rows once more.

Beg Cable Panels

Row 1 (RS) - K13 (14, 15, 16); p2, C8F, C8B, p2; k22 (26, 30, 34); p2, C8F, C8B, p2; k13 (14, 15, 16).

Row 2 (WS) - P13 (14, 15, 16); k2, p4, k3, p2, k3, p4, k2; p22 (26, 30, 34); k2, p4, k3, p2, k3,

p4, k2; p13 (14, 15, 16).

Row 3 - K13 (14, 15, 16); p2, k4, p3, k2, p3, k4, p2; k22 (26, 30, 34); p2, k4, p3, k2, p3, k4, p2; k13 (14, 15, 16).

Row 4 - P13 (14, 15, 16); k2, p4, k3, p2, k3, p4, k2; p22 (26, 30, 34); k2, p4, k3, p2, k3, p4, k2; p13 (14, 15, 16).

Rep rows last 2 rows 4 times more. Rep these last 12 rows for Cable Panel patt throughout.

Patt until piece meas 31 (35, 39, 44)cm/12 ¼ (13 ¾, 15 ¼, 17 ¼)ins from beg, end with a WS row.

Shape Armholes

Cast off 5 sts beg next 2 rows.

Dec 1 st each end next 4 rows, then every other row 3 (3, 4, 4) times - 64 (70, 74, 80) sts.**

Patt straight until piece meas 45 (50, 55, 61)cm/17 ¾ (19 ¾, 21 ½, 24)ins from beg, end with a WS row.

Cast off 16 (18, 19, 21) sts beg next 2 rows.

Leave rem 32 (34, 36, 38) sts on holder for neckband.

FRONT

Work as for back from ** to **.

Patt straight until piece meas 36 (41, 46, 52)cm/14 ¼ (16 ¼, 18, 20 ½)ins from beg, end with a WS row.

Mark centre 16 (18, 20, 22) sts of last row.

Shape Neck

NR (RS) - Patt 24 (26, 27, 29) sts, turn, on these sts only (leave rem sts on hold).

Dec 1 st at neck edge next 6 rows, then every other row twice - 16 (18, 19, 21) sts.

Patt straight until front meas same as back to shoulder, end with a WS row.

Cast off rem 16 (18, 19, 21) shoulder sts.

With RSF, return to sts on hold, slip next 16 (18, 20, 22) sts to holder for front neck, rejoin yarn and patt to end of row.

Dec 1 st at neck edge next 6 rows, then every other row twice - 16 (18, 19, 21) sts.

Patt straight until front meas same as back to shoulder, end with a RS row.

Cast off rem 16 (18, 19, 21) shoulder sts.

SLEEVES

With 3.75mm (US 5) needles, cast on 43 (48, 53, 53) sts.

Row 1 (RS) - P3; *k2, p3; rep from * to end.

Row 2 (WS) - K3; *p2, k3; rep from * to end.

Rep these 2 rows 5 (5, 6, 6) times more.

Change to 4mm (US 6) needles.

Cont in Rib and inc 1 st each end next row, then every 10th (11th, 12th, 10th) row until 59 (64, 69, 73) sts on needle (take inc sts into rib patt).

Patt straight until sleeve meas 34 (37, 40, 42)cm/13 ½ (14 ½, 15 ¾, 16 ½)ins from beg, end with a WS row.

Shape Top

Cast off 5 sts beg next 2 rows.

Dec 1 st each end next 4 rows.

Dec 1 st each end next 7 (8, 9, 10) RS rows.

Cast off 5 sts beg next 2 rows.

Cast off 4 (5, 6, 7) sts beg next 2 rows - 9 (10, 11, 11) sts.

Cast off loosely rem sts.

COMPLETE

Join left shoulder seam.

NECKBAND

With RSF and 4mm (US 6) needles, k the back neck holder 32 (34, 36, 38) sts, pick up and k 26 sts down front neck edge, k the front neck holder 16 (18, 20, 22) sts, pick up and k 26 sts up front neck edge - 100 (104, 108, 112) sts.

Row 1 (WS) - *K2, p2; rep from * to end.

Row 2 (RS) - *K2, p2; rep from * to end.

Rib further 15 (15, 17, 17) rows. Cast off loosely in rib.

Join right shoulder and neckband, allowing half of neckband to fold to RS.

Set in sleeve tops, join side and sleeve seams.

MORE NEW PATTERNS



www.naturallyyarnsnz.com

